

### EC TYPE EXAMINATION (MODULE B) CERTIFICATE No. MED134217WS

This is to certify that RINA Services S.p.A. (Notified Body No. 0474) did undertake the relevant type approval procedures for the equipment identified below, which was found to be in compliance with the Life-Saving appliances requirements of Marine Equipment Directive (MED) 2014/90/EU, including the requirements and testing standards of Regulation (EU) 2017/306.

MED Item N° MED/1.6b

Description Immersion suits and anti-exposure suits designed to be worn

WITHOUT a lifejacket: (b) immersion suit with inherent

insulation

Type HYF-N1-O

Applicant JIANGSU HUAYAN MARINE EQUIPMENT CO.,LTD

NO.8 HUANGJINTANG WEST ROAD, ECONOMIC DEVELOPMENT ZONE

DANYANG CITY, JIANGSU PROVINCE

CHINA

Testing standards IMO Res. MSC 81(70) as amended

Reference standards SOLAS 74 Reg.III/7, SOLAS 74 Reg.III/22, SOLAS 74 Reg.III/32, SOLAS

74 Reg.III/34, IMO Res.MSC.36(63)-(1994 HSC Code) 8, IMO

Res.MSC.48(66)-(LSA Code) I, IMO Res.MSC.48(66)-(LSA Code) II, IMO

Res.MSC.97(73)-(2000 HSC Code) 8, IMO MSC/Circ.1046.

Issued in SHANGHAI on December 31, 2017

This Certificate is valid until
December 30, 2022

This Certificate consists of this sheet plus an attachment

RIJA

Giuseppe Zagaria

RINA Services S.p.A.





## ATTACHMENT TO CERTIFICATE No. MED134217WS Page 1 of 3

Manufacturer

JIANGSU HUAYAN MARINE EQUIPMENT CO.,LTD

Place of Manufacturer
NO.8 HUANGJINTANG WEST ROAD
ECONOMIC DEVELOPMENT ZONE
DANYANG CITY
JIANGSU PROVINCE
CHINA

Name & place of Authorised Representative
MRS. ANITA WESLING
KARL-LEGIEN-STR.2, 45356 ESSEN, GERMANY

#### **Product Description**

The HYF-N1-O is an insulated Immersion Suits, designed to be worn without a lifejacket. And it is manufactured in three sizes:

XL size: Max. height 2.10 meter;
L size: Max. height 1.90 meter;
M size: Max. height: 1.70 meter.

The suit covers the whole body (feet and hands included) except the face.

Material and Components

Material and Components			
Item	Model	Type	Manufacturer
Waterproof Material	Polyester Ox <mark>ford/TPU</mark>		Wuxi Xianglong Polymer Fabric Co.,Ltd; Zhejiang Healthy Family Plastic Co., Ltd
Buoyancy Material	Polyethylene Foam Plastic	PE-45	Nanjing Dongxin Plastic Co., Ltd
Watertight Zipper Closure		65 cm TPU	Wuxi Hailong Airtight Technology Co., Ltd;  Jiaxing Kinsealed Zipper Co., Ltd
Sewing Thread	Polyester High Strength Yarn	190D	Danyang Shiqiang Knitting Technology Co., Ltd; Dangyang Jianying Thread Factory
Light		YDG1C, YDL12, etc	Jiangsu Huayan Marine Equipment Co., Ltd
Retro-reflective Tape	5 cm	TISS 3M	Daoming Optics & Chemical Co., Ltd

#### **Design Assessment**

Insulated immersion suits designed to be worn without a lifejacket with additional lifting loop in compliance with IMO Res.MSC.323(89).

The design assessment is based on IMO Res. MSC.48(66) as amended by IMO Res. MSC.207(81) and IMO Res. MSC.218(82).

Production tests shall be conducted for each suit in accordance with IMO Res. MSC.81(70), part 2.











### ATTACHMENT TO CERTIFICATE Nr. MED134217WS

Page 2 of 3

#### **Reference Documents**

- Instruction Manual, edit by Jiangsu Huayan Marine Equipment Co., Ltd and filed by RINA with No.: SHFP-10620;
- Technical Drawings, edit by Jiangsu Huayan Marine Equipment Co., Ltd, approved by RINA with No.: SHFP-10623 & SHFP-10929;
- Immersion Suit Technical Standard, edit by Jiangsu Huayan Marine Equipment Co., Ltd, approved by RINA with No.: SHFP-10928.

#### **Test Report**

The product has been tested in accordance with the Revised Recommendation on Testing of Life-saving appliances, IMO Res. MSC.81(70) Part 1, as amended by IMO Res. MSC.200(80), IMO Res. MSC.226(82) and IMO Res. MSC.323(89).

- Evaluation and Test Report (HYF-N1-O) (Ref No.: 2017113), issued by Wuhan Testing Center of Marine Life-saving Appliances and filled by RINA with No.:SHFP-10624.

#### Remarks

The immersion suit shall be equipped with safety light EC Type Approved, releasable buoyant line and suitable means to lift the wearer from the water, in compliance with MSC.207(81).

The immersion suit can be equipped with different position indicating lights and Retro-reflective materials EC type Approved in compliance with Directive 2014/90/EC as amended.












# ATTACHMENT TO CERTIFICATE No. MED134217WS Page 3 of 3

The mark of conformity may only be affixed to the above type approved equipment and a Manufacturer's Declaration of Conformity issued when the production control phase module (D, E or F) of Annex II of the Directive is fully complied with a written inspection agreement with a Notified Body



XXXX/YYYY

"WHEELMARK FORMAT"

XXXX Notified Body number undertaking surveillance module

YYYY The year in which the mark is affixed

#### General conditions for the approval

- a) The initial conditions verified by RINA at the time of the approval are to be maintained
- b) Any changes to the initial conditions are to be promptly communicated to RINA, which reserves the right to repeat the relevant assessment
- c) This certificate will no be valid if the manufacturer makes any changes or modifications to the approved equipment, which have not been notified to, and agreed with RINA
- d) RINA personnel are to be allowed to witness during the performances of activities, upon their request
- e) The activities are to be carried out in compliance with the RINA Rules and/or other applicable Rules
- f) Should the specified regulations or standards be amended during the validity of this certificate, the product is to be reapproved prior to it being placed on board vessels to which the amended regulations or standards apply.



Giuseppe Zagaria



